


AV MOUNTING REFERENCE GUIDE

PROFESSIONAL AV MOUNTING SOLUTIONS

PREMIER MOUNTS

CONTENTS

Whether you're mounting inside our out, no matter the application, we've got you covered and supported!

OUTDOOR MOUNTS 2-3
FLAT MOUNTS 4-5
ROTATING MOUNTS 6
ARTICULATING MOUNTS 7
TILT MOUNTS 8-9
CEILING MOUNTS 10-12
CARTS & STANDS 13-19
PROJECTOR MOUNTS 20-21
PRESS & RELEASE MOUNTS 22
SYMMETRY SERIES 23-28
CONVERGENT DIRECTVIEW LED 29
POINT-OF-SALE MOUNTS 30
IN-WALL MOUNTING KITS 31
ACCESSORIES 32-40
HARDWARE 41
HOW TO BUY 41

Visit PREMIERMOUNTS.COM to see our complete line of AV solutions and hang with us on social media at, @PREMIERMOUNTS


We look forward to hanging with you and MOUNT UP.



PREMIER MOUNTS
500 W Central Ave, Suite A
Brea, CA 92821

OUTDOOR MOUNTS

PART #	PRODUCT	DESCRIPTION	WEIGHT RATING	VESA	APPLICATION
AWMF-OH46		**Outdoor Flat Wall Mount for Samsung OH B, F, & DX Series 46" Displays - Landscape/Portrait** + Durable, Outdoor UV-Rated Paint + Samsung-Reviewed Design + Airflow Baffles Behind Display	Display Weight Compatible 27 lbs / 12.25 kg	Samsung B, F, & DX Series 46" Displays Compatible	+ WALL
AWMT-OH46		**Outdoor Tilt Wall Mount for Samsung OH B, F, & DX Series 46" Displays - Landscape/Portrait** + 5°, 10° or 15° of Downward Tilt + Durable, Outdoor UV-Rated Paint + Samsung-Reviewed Design + Airflow Baffles Behind Display	Display Weight Compatible 38 lbs / 17.24 kg	Samsung B, F, & DX Series 46" Displays Compatible	+ WALL
AWMF-OH55		**Outdoor Flat Wall Mount for Samsung OH A, F, & DX Series 55" Displays - Landscape/Portrait** + Durable, Outdoor UV-Rated Paint + Samsung-Reviewed Design + Airflow Baffles Behind Display	Display Weight Compatible 31.5 lbs / 14.3 kg	Samsung A, F, & DX Series 55" Displays Compatible	+ WALL
AWMT-OH55		**Outdoor Tilt Wall Mount for Samsung OH A, F, & DX Series 55" Displays - Landscape/Portrait** + 5°, 10° or 15° of Downward Tilt + Durable, Outdoor UV-Rated Paint + Samsung-Reviewed Design + Airflow Baffles Behind Display	Display Weight Compatible 45.5 lbs/20.6 kg	Samsung A, F, & DX Series 55" Displays Compatible	+ WALL
7170-0978-00		**Outdoor Flat Mount for Samsung OH75 Display** + Durable, Outdoor UV-Rated Paint + Samsung-Reviewed Design + Airflow Baffles Behind Display	Up to 315 lbs. / 142.8 kg.	Samsung OH75F Compatible	+ WALL
7170-0978-01		**Outdoor Tilt Display Mount for Samsung OH75 Display** + 5°, 10° or 15° of Downward Tilt + Durable, Outdoor UV-Rated Paint + Samsung-Reviewed Design + Airflow Baffles Behind Display	Up to 315 lbs. / 142.8 kg	Samsung OH75T Compatible	+ WALL
7170-1107-00		**Outdoor Fixed Wall Mount for LG 49XE4F-M- Landscape/Portrait** + Durable, Outdoor UV-Rated Paint + LG Approved Design + Airflow Baffles Behind Display	Display Weight Compatible	LG 49XE4F-M Compatible	+ WALL


OUTDOOR MOUNTS

PART #	PRODUCT	DESCRIPTION	WEIGHT RATING	VESA	APPLICATION
7170-1107-01		**Outdoor Tilt Wall Mount for LG49X-E4F-M- Landscape/Portrait** + 5°, 10° or 15° of Downward Tilt + Durable, Outdoor UV-Rated Paint + LG Approved Design + Airflow Baffles Behind Display	Display Weight Compatible	LG 49XE4F-M Compatible	+ WALL
7170-1137-00		**Outdoor Fixed Wall Mount for LG 55XE4F-M- Landscape/Portrait** + Durable, Outdoor UV-Rated Paint + LG Approved Design + Airflow Baffles Behind Display	Display Weight Compatible	LG 55XE4F-M Compatible	+ WALL
7170-1137-01		**Outdoor Tilt Wall Mount for LG 55XE4F-M- Landscape/Portrait** + 5°, 10° or 15° of Downward Tilt + Durable, Outdoor UV-Rated Paint + LG Approved Design + Airflow Baffles Behind Display	Display Weight Compatible	LG 55XE4F-M Compatible	+ WALL
P4263F-EX		**Exterior Low-Profile Wall Mount** + Corrosion-Resistant Outdoor Coat + Stainless steel hardware + Post-Installation Leveling + Built-In Lateral Shift + Easy Cable & Electrical Access	Up to 175 lbs. / 80 kg.	200 x 200mm - 800 x 525mm	+ WALL
P2642F-EX		**Exterior Low-Profile Wall Mount** + Corrosion-Resistant Outdoor Coat + Stainless Steel Hardware + Post-Installation Leveling + Built-In Lateral Shift	Up to 130 lbs. / 59 kg.	200 x 200mm - 535 x 400mm	+ WALL
P4263T-EX		**P-Series Tilting Low-Pro Outdoor Mount for Flat-Panel Displays** + Corrosion-Resistant Outdoor Coat + 10° of Continuous Tilt + Post-Installation Leveling + Built-In Lateral Shift	Up to 175 lbs. / 80 kg.	200 x 200mm - 800 x 525mm	+ WALL

FLAT MOUNTS					
PART #	PRODUCT	DESCRIPTION	WEIGHT RATING	VESA	APPLICATION
COR-75F		**COR Series Essential Flat Wall Mount for Displays up to 85lbs.** + Slim 25mm Flat Profile + Hardware Included + Anti-Theft Screw Included + Holds 4x its Rated Weight	Up to 85 lbs. / 38.6 kg.	200 x 200mm - 400 x 400mm	+ WALL
COR-175F		**COR Series Essential Flat Wall Mount for Displays up to 175lbs.** + Slim 22mm Flat Profile + Hardware Included + Anti-Theft Screw Included + Holds 4x its Rated Weight	Up to 175 lbs. / 79.4 kg.	200 x 200mm - 600 x 400mm	+ WALL
PWM-HZL		**Horizon Series Ultra-Slim Wall Mount for Displays up to 160 lbs** + Ultra-Flat Design, 0.36” (9.14 mm) + ADA Compliant + Quick-Release + Landscape & Portrait Orientation	Up to 160 lbs. / 72.5 kg.	200 x 200mm - 800 x 600mm	+ WALL
PWM-HZX		**Horizon Series Ultra-Slim Wall Mount for Displays up to 200 lbs** + Ultra-Flat Design, 0.36” (9.14 mm) + ADA Compliant + Quick-Release + Landscape & Portrait Orientation	Up to 200 lbs. / 90.7 kg.	200 x 200mm - 1000 x 1000mm	+ WALL
P2642F		**Low-Profile Mount for Flat Panels** + Low-Profile & OSHPD Approved + Post-Installation Leveling System + Universal Hardware Pack Included + Mounting Kit Included + Built-In Lateral Shift	Up to 130 lbs. / 59 kg.	200 x 200mm - 535 x 400mm	+ WALL
P4263F		**Low-Profile Mount for Flat Panels** + OSHPD Approved + Low-Profile + Post-Installation Leveling System + Universal Hardware Pack Included + Built-In Lateral Shift	Up to 175 lbs. / 80 kg.	200 x 200mm - 815 x 525mm	+ WALL

F


FLAT MOUNTS

PART #	PRODUCT	DESCRIPTION	WEIGHT RATING	VESA	APPLICATION
P4263FP		**Low-Profile Flat Portrait Mount for Flat Panels** + Low-Profile & OSHPD Approved + Vertical Alignment + Post-Installation Leveling System + Universal Hardware Pack Included	Up to 175 lbs. / 80 kg.	200 x 200mm - 535 x 705mm	+ WALL
P5080F		**Low-Profile Mount for Flat Panels** + Low-Profile & OSHPD Approved + Post-Installation Leveling System + Universal Hardware Pack Included + Security Barrel Included + Built-In Lateral Shift	Up to 300 lbs. / 136 kg.	200 x 200mm - 1110 x 705mm	+ WALL
PFDM2		**Versatile Flat Display Mount** + Security Barrel Included + Post-Installation Leveling System + Built-In Lateral Shift + Supports Portrait & Landscape + Can Mount to Wall, Ceiling or Cart	Up to 100 lbs. / 45.4 kg.	200x200mm - 400x400mm	+ WALL + CEILING + CART + STAND
PRF		**Fixed Low-Profile Flat Panel Mount for Displays** + Low-Profile + Fast & Easy Assembly + Cable Cutouts on Wall Plate + Universal Hardware Pack Included	Up to 50 lbs. / 22.5 kg.	75 x 75mm, 100 x 100mm, 200 x 100mm, 200 x 200mm	+ WALL
UFA-XL		**Universal Fixed Dual-Pole Mount for Multiple Flat-Panel Displays** + Holds 2 Flat Panel Displays + Display Range: 37 - 55" (93 - 139cm) + 2" (5cm) Dual-Pole Openings + Universal Mounting Arms	Up to 160 lbs. / 72 kg.	200 x 200mm – 1950 x 1950mm	+ CART + STAND
UFA		**Universal Low-Profile Flat Panel for Dual Pole Carts and Stands** + Low-profile design + Slides Over Top of Dual-Poles + 2" (5cm) Dual-Pole Openings + Universal Mounting Arms	Up to 160 lbs. / 72 kg.	200 x 200mm - 875 x 875mm	+ CART + STAND
VPM		**Universal VESA Single Pole Mount** + Radial Glide® for Smooth Tilt & Pivot + 10°+/- Smooth Pivot in Any Direction + Remains Fixed After Positioning + Back-to-Back Mounting Supported + Versatile, Easy Assembly	Up to 50 lbs. / 22.6 kg.	Fits up to: 200 x 200mm	+ CART + STAND

F

ROTATING MOUNTS

PART #	PRODUCT	DESCRIPTION	WEIGHT RATING	VESA	APPLICATION
RFM		**Rotating Mount for Flat-Panels** + Landscape to Portrait Rotation + Supports Displays 42" - 70" + Mounts in Landscape or Portrait + 2-Piece Slim Design	Up to 160 lbs. / 72 kg.	200 x 200mm - 870 x 505mm	+ WALL
RTM-L		**Rotating Mount for Flat-Panels** + Up to 90° of Rotation + 10° of Downward Tilt + 35° of Upward Tilt + Mounts in Landscape or Portrait	Up to 160 lbs. / 72 kg.	200 x 200mm - 870 x 505mm	+ WALL + CART + STAND
RTM-S		**Versatile Flat Panel Mount for Carts & Stands** + Up to 90° of Rotation + 10° of Downward Tilt + 35° of Upward Tilt	Up to 125 lbs. / 57 kg.	200 x 200mm - 500 x 300mm	+ CART + STAND




ARTICULATING MOUNTS

PART #	PRODUCT	DESCRIPTION	WEIGHT RATING	VESA	APPLICATION
AM50-B		**Dual Arm Swingout Mount for Flat-Panel Displays** + 360° of Rotation & 90° of Swivel + Single Stud Installation + Extends 16.9" from Wall + OSHPD Approved	Up to 50 lbs. / 23 kg.	75 x 75mm - 200 x 200mm	+ WALL
AM65		**Articulating Mount for Flat Panels** + Extends 18" from Wall + Slim Depth of Only 2.2" + 12° of Tilt + 45° of Swivel	Up to 65 lbs. / 30 kg.	100 x 100mm - 430 x 400mm	+ WALL
AM95		**Articulating Mount for Flat-Panels** + Scissor-Style Arms Pull Up to 18" + Lateral Shifting + 12° of Tilt + 45° of Swivel + ADA Compliant	Up to 95 lbs. / 43 kg.	200 x 200mm - 600 x 400mm	+ WALL
AM100		**Low Profile Ultra-Slim Swingout Mount for Flat-Panels** + Three Awingout Arm Placements + Extends 30" from Wall + 15° of Downward Tilt, 180° of Swivel + Post-Installation Leveling	Up to 100 lbs. / 45.5 kg.	100 x 100mm - 630 x 526mm	+ WALL
AM175		**Swingout Mount for Flat-Panel Displays** + Scissor-Style Arms Pull Up to 15.9" + 10° of Tilt & Up to 45° of Swivel + Post-Installation Leveling	Up to 175 lbs. / 79.4 kg.	200 x 200mm - 650 x 820mm	+ WALL
AM300-B		**Swingout Mount for Flat-Panels** + Radial Glide™ Up to 10° of Tilt + 90° of Swivel + Extends 26" From Wall	Up to 300 lbs. / 136 kg.	225 x 225mm - 984 x 667mm	+ WALL
AM500-U		**Articulating Wall Mount for Displays** + 4° +/- Tilt + Dual-Articulating Arms + Pull Away Heavy Displays Easily + Fully Extends 24.5" From Wall + Mount Locks With Ease for Safety	Up to 500 lbs. / 226.8 kg.	300 x 200mm - 900 x 600mm	+ WALL

TILT MOUNTS

PART #	PRODUCT	DESCRIPTION	WEIGHT RATING	VESA	APPLICATION
COR-75T		**COR Series Essential Tilt Wall Mount for Displays up to 75lbs.** + Slim 25mm Flat Profile + Hardware Included + Anti-Theft Screw Included + Tilt 0° to 14° Range	Up to 75 lbs. / 34 kg.	200 x 200mm - 400 x 400mm	+ WALL
COR-175T		**COR Series Essential Tilt Wall Mount for Displays up to 175lbs.** + Slim 53mm Flat Profile + Hardware Included + Anti-Theft Screw Included + Tilt -5° to 10° Range	Up to 175 lbs. / 79.4 kg.	200 x 200mm - 600 x 400mm	+ WALL
P4263TP-EX		**P-Series Low-Pro Outdoor Portrait Tilt Mount for Flat-Panel Displays** + Corrosion-Resistant Outdoor Coat + 8° of Continuous Tilt + Post-Installation Leveling + Built-In Lateral Shift	Up to 175 lbs. / 80 kg.	200 x 200mm - 525 x 700mm	+ WALL
CTM-MS1		**Tilting Mount for Flat-Panels** + 12° of Adjustable Effortless Tilt + Patented Safety Mounting Brackets + Built-In Lateral Shift + Durable Powder Coat Finish + Theft-Resistant System Included	Up to 160 lbs. / 73 kg.	100 x 100mm - 490 x 360mm	+ WALL + CEILING (PSD-S Req'd) + CART + STAND
CTM-MS2		**Tilting Mount for Flat-Panel Displays** + 12° of Adjustable Effortless Tilt + Patented Safety Mounting Brackets + Built-In Lateral Shift + Theft-Resistant System Included	Up to 160 lbs. / 73 kg.	200 x 200mm - 800 x 500mm	+ WALL + CEILING (PSD-S Req'd) + CART + STAND
CTM-MS3		**Universal Tilt Mount for Flat-Panels** + 12° of Adjustable Tilt + Patented Safety Mounting Brackets + Effortless Tilt + Theft-Resistant System Included	Up to 300 lbs. / 136 kg.	200 x 200mm - 900 x 735mm	+ WALL + CEILING (PSD-S Req'd) + CART + STAND
P2642T		**Tilting Low-Profile Mount for Flat-Panels (OSHPD Certified)** + 10° of Continuous Tilt + Post-Installation Leveling + Built-In Lateral Shift + Security Barrel Included	Up to 130 lbs. / 59 kg.	200 x 200mm - 525 x 400mm	+ WALL

TILT MOUNTS

PART #	PRODUCT	DESCRIPTION	WEIGHT RATING	VESA	APPLICATION
P4263T		**Low-Profile Tilt Mount for Flat-Panel Displays** + 10° of Continuous Tilt + Post-Installation Leveling + Built-In Lateral Shift + Security Barrel Included	Up to 175 lbs. / 79.4 kg.	200 x 200mm - 800 x 525mm	+ WALL
P4263TP		**Low-Profile Tilting Portrait Mount for Flat-Panels** + 8° of Continuous Tilt + Post-Installation Leveling + Built-In Lateral Shift + Security Barrel Included	Up to 175 lbs. / 79.4 kg.	200 x 200mm - 525 x 700mm	+ WALL
P5080T		**Tilting Low-Profile Mount for Flat-Panel Displays** + 8° of Continuous Tilt + Post-Installation Leveling + Built-In Lateral Shift + Security Barrel Included	Up to 300 lbs. / 136 kg.	200 x 200 mm - 1100 x 700 mm	+ WALL
PTDM2		**Tilting, Low-Profile Mount for Flat-Panels** + Landscape or Portrait Supported + 10° of Downward Tilt + Post-Installation Leveling + Built-In Lateral Shift	Up to 100 lbs. / 45.4 kg.	200 x 200mm - 400 x 400mm	+ WALL + CEILING (PSD-S Req'd) + CART + STAND
UMB-DBT		**Channel Strut Menu Board Mount** + Easy Install, No Assembly Required + 15° of Tilt + Landscape & Portrait Supported + Adjustable Footpad	Up to 160 lbs. / 73 kg.	Up to 400mm x Unlimited Horizontal	+ WALL
PTM-B		**Single Stud Tilt and Pivot Mount for Flat-Panels** + Smooth Tilt & Pivot + 15°+/- Tilt, Pivot & 360° Screen Rotate + Integrted Cable Routing + OSHPD & DSA Approved	Up to 50 lbs. / 23 kg.	75 x 75mm - 200 x 200mm	+ WALL


CEILING MOUNTS

PART #	PRODUCT	DESCRIPTION	WEIGHT RATING	VESA	APPLICATION
PCM-B2XT		**Extra-Large Dual-Sided Ceiling Mount with Advanced Positioning** + *Kit:* 1) PSD-D & 2) CTM-MS3 + Heavy-Duty Construction + Smooth 12° Tilt (Clevis™ Tech) + Works w/ PM 1.5" NPT Products	Up to 300 lbs. per Display	200 x 200mm - 900 x 700mm	+ CEILING
PCM-B2LTP		**Dual-Sided Portrait Ceiling Mount w/ Advanced Adjustment Features** + *Kit:* 1) PSD-D & 2) P4263TP + Post-Install Leveling + Smooth 8° Tilt + Works w/ PM 1.5" NPT Products	Up to 175 lbs. per Display	200 x 200mm - 700 x 500mm	+ CEILING
PCM-B2LT		**Dual-Sided Ceiling Mount for High-Impact Digital Signage** + *Kit:* 1) PSD-D & 2) CTM-MS2 + Post-Install Leveling + Smooth 12° Tilt (Clevis™ Tech) + Works w/ PM 1.5" NPT Products	Up to 175 lbs. per Display	200 x 200mm - 800 x 500mm	+ CEILING
7170-1158-01		**Ultra Tilt Dual Swivel Portrait Ceiling Mount for Displays up to 75" & 200lbs.** + Up to 30° Fixed Tilt (ea. Display) + 90° Independent Swivel (ea. Display) + Turnkey Design + Mounting Holes for Gang Boxes	Up to 175 lbs. per Display	200 x 200mm - 535 x 705mm	+ CEILING
7170-1158-00		**Ultra Tilt Dual Swivel Ceiling Mount for Displays up to 75" & 200lbs.** + Up to 30° Fixed Tilt (ea. Display) + 90° Independent Swivel (ea. Display) + Turnkey Design + Mounting Holes for Gang Boxes	Up to 175 lbs. per Display	200 x 200mm - 815 x 525mm	+ CEILING
7170-1159-01		**Ultra Tilt Single Ceiling Portrait Mount for Displays up to 75" & 200lbs.** + Up to 30° Fixed Tilt (ea. Display) + 360° of Swivel + Turnkey Design + Mounting Holes for Gang Boxes	Up to 175 lbs. per Display	200 x 200mm - 500 x 700mm	+ CEILING
7170-1159-00		**Ultra Tilt Single Ceiling Mount for Displays up to 75" & 200lbs.** + Up to 30° Fixed Tilt (ea. Display) + 360° of Swivel + Turnkey Design + Mounting Holes for Gang Boxes	Up to 175 lbs. per Display	200 x 200mm - 800 x 500mm	+ CEILING


CEILING MOUNTS

PART #	PRODUCT	DESCRIPTION	WEIGHT RATING	VESA	APPLICATION
ECM-D70T		**Ceiling Mount for Dual Flat-Panels** + Holds Two Displays Up to 60” + 15° of Tilt + Mounts Portrait or Landscape + 360° Swivel w/ 2” Coupler + Works w/ PM Media Player Brackets	Up to 350 lbs. / 158.75 kg.	200 x 200mm - 782 x 506mm	+ CEILING
ECM-3763S		**Ceiling Mount for Flat-Panels** + Digital Signage Application Solution + 15° Tilt Available + Works w/ Premier Media Player Brackets + Mounts Right Out of the Box + No Adapters Needed	Up to 175 lbs. / 79.5 kg.	200 x 200mm - 875 x 505mm	+ CEILING
ECM-3763D		**Back-to-Back Ceiling Mount Assembly** + Mounts 2 Flat-Panels Back-to-Back + Post-Installation Adjustment + 15° of Tilt & 360° Swivel + Ultra-Thin Design	Up to 350 lbs. / 159.1 kg.	200 x 200mm - 875 - 505mm	+ CEILING
CTM-MS3		**Universal Tilt Mount for Flat-Panels** + 12° of Adjustable Tilt + Safety Mounting Brackets Included + Effortless Tilt + Universal Hardware Pack Included + Theft-Resistant System Included	Up to 300 lbs. / 136 kg.	200 x 200mm - 900 x 735mm	+ WALL + CEILING + CART + STAND
CTM-MS2		**Tilting Mount for Flat-Panel Displays** + Patented Safety Mounting Brackets + Effortless Tilt + Universal Hardware Pack Included + Theft-Resistant System Included	Up to 160 lbs. / 73 kg.	200 x 200mm - 800 x 500mm	+ WALL + CEILING + CART + STAND
CTM-MS1		**Tilting Mount for Flat-Panels** + 12° of Adjustable Tilt + Patented Safety Mounting Brackets + Effortless Tilt + Durable Powder Coat Finish + Theft-Resistant System Included	Up to 160 lbs. / 73 kg.	100 x 100mm - 490 x 360mm	+ WALL + CEILING + CART + STAND

CEILING MOUNTS					
PART #	**PRODUCT**	**DESCRIPTION**	**WEIGHT RATING**	**VESA**	**APPLICATION**
PTDM2		**Tilting, Low-Profile Mount for Flat-Panels** + Landscape or Portrait Supported + 10° of Downward Tilt + Post-Installation Leveling + Built-In Lateral Shift	Up to 100 lbs. / 45.4 kg.	200 x 200mm - 400 x 400mm	+ WALL + CEILING (PSD-S Req'd) + CART + STAND
PRC-LA		**Flat Panel Adjustable Height Ceiling Mount with 1.5" NPT Adapter** + Attaches to 1.5" NPT + 15° +/- of Tilt + 360° Swivel + Cable Routing Through Coupler	Up to 50 lbs. / 22.7 kg.	75 x 75mm - 200 x 200mm	+ CEILING



CARTS & STANDS: COMPLETE MOUNTING SOLUTIONS

PART #	PRODUCT	DESCRIPTION	WEIGHT RATING	SPECS	APPLICATION
PFC-OMND		**Floor Mount w/ Base for 46" or 55" Model Samsung OMN-D** + Exclusively for PFC-OMND Mounts + Steel Floor Stand Base Great for Applications Like Tradeshows & Retail + Durable Black Finish	46" or 55" Samsung OMN-D Compatible.	**H:** 2 in **W:** 36 in **D:** 43 in	+ STANDS
HM-PSD-TTS-L		**Tabletop Stand for Displays up to 100lbs. | 45kg** + VESA 200x200mm - 775x600mm + Fits 42"-80" Screens + Two Adjustable Mounting Arms + Extra-Wide Stable Base	Up to 100 lbs. / 45 kg.	**BASE H:** 3 in / 76.2mm **BASE W:** 32 in / 812mm **BASE D:** 3.5 in / 88.9mm	+ STANDS
7170-1096		**TS72B-MS2 Heavy Duty Low-Pro Floor Stand** + VESA 200x200mm - 800x500mm + 12° of Continuous Tilt + Patented Griplates™ Secure Display + Low-Profile Easily Slides Under Carpet	Up to 160 lbs. / 72 kg.	**H:** 72.1 in / 183.13 cm **W:** 35.5 in / 90.17 cm **D:** 29.5 in / 74.93 cm	+ STANDS
7170-1095		**TL72B-MS2 Lightweight Floor Stand** + VESA 200x200mm - 800x500mm + 12° of Continuous Tilt + Ergonomic Transport Handles on Base + Lightweight 84 lbs (38.1 kg)	Up to 160 lbs. / 72 kg.	**H:** 71.85 in / 182.5 cm **W:** 35.5 in / 90.17 cm **D:** 29.5 in / 74.93 cm	+ STANDS
7170-1093		**PSP-400 Single Pole Stand for Displays** + VESA 200x200mm - 400x400mm + Built-In Cable Management + Adjustable Flat-Panel Placement + Lightweight 60 lbs (27.22 kg)	Up to 50 lbs. / 22 kg.	**H:** 59.75 in / 151.77 cm **W:** 26 in / 66.04 cm **D:** 23.5 in / 59.69 cm	+ STANDS
LFC-L/LFC-LB		**Large Format Mobile Cart for Flat-Panels** + Fits Flat-Panel Displays Up to 98" + Designed to Nest Multiple Carts + Mounts in Landscape or Portrait + Setup in Less than 10 Minutes	Up to 300 lbs. / 136 kg.	**H:** 84.72"/2151.88mm **W:** 44.94lbs./20.38kg **D:** 28.98"/736.09mm	+ CARTS
PSD-ROO		**ROO All-in-One Mobile Cart for Displays up to 75" & 150 lbs.** + UL 1678 Certified & ADA Compliant + 10° of Downward Tilt + Height Adjustable + VESA 200x200mm - 800x600mm	Up to 150 lbs. / 68.04 kg.	**H:** 73.5"/ 1865.9 mm **W:** 42.42" / 1077.5 mm **D:** 30.39" / 772mm	+ CARTS

CARTS & STANDS: COMPLETE MOUNTING SOLUTIONS

PART #	PRODUCT	DESCRIPTION	WEIGHT RATING	SPECS	APPLICATION
7170-1094		**EB72B-MS2 Elliptical Mobile Cart Mount for Displays** + Casters & Leveling Feet Included + Up to 800 x 500mm VESA + 12° of Continuous Tilt + Built-in Cable Management	Up to 160 lbs. / 72.6 kg.	**H:** 78.65" / 199.77cm **W:** 36.19" / 91.92cm **D:** 34.19" / 86.84cm	+ CARTS

CARTS & STANDS: BASES

PART #	PRODUCT	DESCRIPTION	WEIGHT RATING	VESA	APPLICATION
BW-BASE		**Dual Pole Mobile Cart Base with Nesting Capability** + Works w/ All Premier Dual-Pole Sets + Narrow, Mobile Base + Easy Maneuverability + Nesting Capability for Easy Storage	Up to 160 lbs. / 73 kg.	N/A	+ CARTS
EB-BASE-C		**Elliptical Floor Stand Base w/ Casters** + Leveling Feet Included + Casters Attach in Under a Minute + Easy to Move + Weighs Less Than 50 lbs. + PSD-HDCA Adapter Included	Up to 200 lbs. / 73 kg.	N/A	+ CARTS
EB-BASE		**Elliptical Floor Stand Base** + Comes w/ Leveling Feet + Weighs Less Than 50 lbs. + Easy to Move + Available in Black + PSD-HDCA Adapter Included	Up to 200 lbs. / 73 kg.	N/A	+ CARTS



CARTS & STANDS: BASES

PART #	PRODUCT	DESCRIPTION	WEIGHT RATING	APPLICATION
TL-BASE		**Lightweight Dual Pole Floor Stand Base** + Works w/ 60", 72", and 84" Poles + Designed for Variety of Floor Stand Configurations + Easy Installation & Install Tool Included	Up to 160lbs / 73kg.	+ STANDS
TS-BASE		**Low-Profile Dual Pole Floor Stand** + Works w/ 60", 72", and 84" Poles + Designed for Variety of Floor Stand Configurations + Easy Installation + Durable, High-Quality Materials	Up to 160lbs / 73kg.	+ STANDS
TTS-BASE-L		**Tabletop Display Stand Base Plate** + Low-Profile Universal Stand for Flat-Panel Displays + Compatible with T40 Poles + Great for Offices, Hospitality & Staging	Up to 150 lbs. / 68.4 kg.	+ STANDS
PSD-DPAB		**Dual Pole Anchor Base** + Anchors to Wood or Concrete Floor + Cable Outlets for Organization + Low Profile Design + Small Footprint	Up to 200 lbs. / 73 kg.	+ STANDS
PSP-S-BASE		**Low-Profile Floor Stand Base for Use w/ Single Pole Stands** + Off-Centered Pole Base + VPM Mount Included, 200 x 200mm + Weighs Less Than 40 lbs.	Up to 100 lbs. / 45.4 kg.	+ STANDS
PSP-BASE		**Low-Profile Floor Stand Base** + Centered Pole Base + VPM Mount Included + Weighs Less Than 40 lbs.	Up to 200 lbs. / 73 kg.	+ STANDS
CS-BASE		**Dual Pole Display Stand for Back-to-Back Mounting** + Includes PSD-DPB Adapter **COMPATIBLE WITH:** T60, T72 & T84 Poles	Up to 160 lbs. / 73 kg.	+ CARTS + STANDS

CARTS & STANDS: DUAL POLES

PART #	PRODUCT	DESCRIPTION	COMPATIBILITY	APPLICATION
T84		**Chrome Dual Pole Replacement** + Set of 2 + Length of 84" (2133.6 mm) + High-Quality Chrome Finish	**Bases:** CS-BASE, EB-BASE, EB-BASE-C, BW-BASE, TL-BASE, TS-BASE **Mounts:** CTM-MS1, CTM-MS2, CTM-MS3, RTM-L, RTM-S, PFDM1, PFDM2, PTDM1, PTDM2, UFA **Accessories:** PSD-CAM, PSD-SHB	+ CARTS + STANDS
T84B		**Black Dual Pole Replacement** + Set of 2 + Length of 84" (2133.6 mm) + High-Quality Black Finish	**Bases:** CS-BASE, EB-BASE, EB-BASE-C, BW-BASE, TL-BASE, TS-BASE **Mounts:** CTM-MS1, CTM-MS2, CTM-MS3, RTM-L, RTM-S, PFDM1, PFDM2, PTDM1, PTDM2, UFA **Accessories:** PSD-CAM, PSD-SHB	+ CARTS + STANDS
T40		**Chrome Dual Pole Replacement** + Set of 2 + Length of 40" (1016 mm) + High-Quality Chrome Finish	**Bases:** TL-BASE, TS-BASE, CS-BASE, EB-BASE, EB-BASE-C, BW-BASE **Mounts:** CTM-MS1, CTM-MS2, CTM-MS3 RTM-L, RTM-S, PFDM1, PFDM2, PTDM1, PTDM2, UFA **Accessories:** PSD-CAM, PSD-SHB	+ CARTS + STANDS
T60		**Chrome Dual Pole Replacement** + Set of 2 + Length of 60" (1524mm) + High-Quality Chrome Finish	**Bases:** CS-BASE, EB-BASE, BW-BASE, TL-BASE, TS-BASE **Mounts:** CTM-MS1, CTM-MS2, CTM-MS3 RTM-L, RTM-S, PFDM1, PFDM2, PTDM1, PTDM2, UFA **Accessories:** PSD-CAM, PSD-SHB	+ CARTS + STANDS
T60B		**Black Dual Pole Replacement** + Set of 2 + Length of 60" (1524mm) + High-Quality Black Finish	**Bases:** CS-BASE, EB-BASE, BW-BASE, TL-BASE, TS-BASE **Mounts:** CTM-MS1, CTM-MS2, CTM-MS3 RTM-L, RTM-S, PFDM1, PFDM2, PTDM1, PTDM2, UFA **Accessories:** PSD-CAM, PSD-SHB	+ CARTS + STANDS
T72		**Chrome Dual Pole Replacement** + Set of 2 + Length of 72" (1829 mm) + High-Quality Chrome Finish	**Bases:** CS-BASE, EB-BASE, BW-BASE, TL-BASE, TS-BASE **Mounts:** CTM-MS1, CTM-MS2, CTM-MS3 RTM-L, RTM-S, PFDM1, PFDM2, PTDM1, PTDM2, UFA **Accessories:** PSD-CAM, PSD-SHB	+ CARTS + STANDS
T72B		**Black Dual Pole Replacement** + Set of 2 + Length of 72" (1829 mm) + High-Quality Black Finish	**Bases:** CS-BASE, EB-BASE, BW-BASE, TL-BASE, TS-BASE **Mounts:** CTM-MS1, CTM-MS2, CTM-MS3, RTM-L, RTM-S, PFDM1, PFDM2, PTDM1, PTDM2, UFA **Accessories:** PSD-CAM, PSD-SHB	+ CARTS + STANDS

CARTS & STANDS: SINGLE POLES

PART #	PRODUCT	DESCRIPTION	COMPATIBILITY	APPLICATION
P84B		**84" Black Single Replacement Pole** + Works w/ PSP-BASE for flat-panel displays. + Length of 84" + 13.7 lbs.	**Bases:** PSP-BASE, PSP-S-BASE, **Accessories:** PSD-CAM, PSD-SHB, PSP-1619	+ CARTS + STANDS
P84		**Chrome Single Replacement Pole** + 84" (2134mm) + Works w/ Floor Stand Adapter (PSP-BASE) + For Flat-Panel Displays	**Bases:** PSP-BASE, PSP-S-BASE, **Accessories:** PSD-CAM, PSD-SHB, PSP-1619	+ CARTS + STANDS
P60		**Chrome Single Replacement Pole** + 60" (1524mm) + Works w/ Floor Stand Adapter (PSP-BASE) + For Flat-Panel Displays	**Bases:** PSP-BASE, PSP-S-BASE, **Accessories:** PSD-CAM, PSD-SHB, PSP-1619	+ CARTS + STANDS
P60B		**Black Single Replacement Pole** + 60" (1524mm) + Works w/ Floor Stand Adapter (PSP-BASE) + For Flat-Panel Displays	**Bases:** PSP-BASE, PSP-S-BASE, **Accessories:** PSD-CAM, PSD-SHB, PSP-1619	+ CARTS + STANDS
P72		**Chrome Single Replacement Pole** + 72" (1829mm) + Works w/ Floor Stand Adapter (PSP-BASE) + For Flat-Panel Displays	**Bases:** PSP-BASE, PSP-S-BASE, **Accessories:** PSD-CAM, PSD-SHB, PSP-1619	+ CARTS + STANDS
P72B		**Black Single Replacement Pole** + 72" (1829mm) + Works w/ Floor Stand Adapter (PSP-BASE) + For Flat-Panel Displays	**Bases:** PSP-BASE, PSP-S-BASE, **Accessories:** PSD-CAM, PSD-SHB, PSP-1619	+ CARTS + STANDS

CARTS & STANDS: INDIVIDUAL PARTS

PART #	PRODUCT	DESCRIPTION	NOTES	APPLICATION
PSP-EXT		**Rugged Extension Adapter** + Transport Half Poles + Rugged Design Holds Two Pieces + Rigid for Worry-Free Connection + Sold Individually	Works with All Poles.	+ CARTS + STANDS
PSD-HDCA		**Cart Adapter Mount for Dual Pole Carts & Stands** + No Special Tools Required + Easy, One-Step Installation + VESA Mounting Pattern, 100 x 100mm	**WEIGHT RATING** Up to 200 lbs. / 90.7 kg.	+ CARTS + STANDS
PSD-DPB		**Dual Back-to-Back Adapter.** + Works w/ CS-BASE Floor Stands + Attach Two Displays to Floor Stand's Dual-Pole Support System	Works with All Dual-Pole Steups.	+ CARTS + STANDS
CAST		**Casters for EB Series Stands** + Set of Four 4" Casters	Color: Black	+ CARTS
CAST-BW		**Casters for BW-Base** + Set of Four 3" Casters for BW-BASE	Color: Black	+ CARTS

CARTS & STANDS BUILD MAP


1 SELECT A BASE
Tailored to fit your project needs!

2 PICK A POLE LENGTH
Choose from different column sizes and finish: 40", 60", 72" and 84".

3 CHOOSE A MOUNT
Based on the VESA pattern, display weight and how much tilt & rotation is needed.

4 SUPPORT AUXILIARY DEVICES & LITERATURE
Accessorize with an equipment shelf, media player bracket or brochure holder.

✓ ALL DONE!
Configured to your specific needs.



PREMIER MOUNTS

a GAMBER JOHNSON company



PFC-OMND

PROJECTOR MOUNTS

PART #	PRODUCT	DESCRIPTION	WEIGHT RATING	ADJUSTMENTS	APPLICATION
FTP (BLACK)		**Universal Fine-Tune Projector Mount** + Precise, Fine-Tune Pitch, Roll & Yaw Adjustments + Detachable Base for Quick Service + Security Hardware Included + Post-Installation Leveling Barrels	Up to 65 lbs. / 30 kg.	Fine-Tune Yaw: (+/- 20°) Pitch: (+5°/-15°) Roll: (+5°/-5°)	+ CEILING
FTPW (WHITE)		**Fine Tune Projector Mount** + Precise, Fine-Tune Pitch, Roll & Yaw Adjustments + Detachable Base for Quick Service + Security Hardware Included + Post-Installation Leveling Barrels	Up to 65 lbs. / 30 kg.	Fine-Tune Yaw: (+/- 20°) Pitch: (+5°/-15°) Roll: (+5°/-5°)	+ CEILING
MAG-PRO (BLACK)		**Low-Profile Universal Projector Mount (Black Powdercoat Finish)** + Mates with Standard 1.5" NPT + OSHPD Certified & & DSA Approved + Security Hardware Included + Easy Install	Up to 10 lbs. / 4.54 kg.	Yaw: (360°) Pitch: (+/-6°) Roll: (+/-6°)	+ CEILING
MAG-PRO-W (WHITE)		**Low-Profile Universal Projector Mount (White Powdercoat Finish)** + Mates with Standard 1.5" NPT + OSHPD Certified & & DSA Approved + Security Hardware Included + Easy Install	Up to 10 lbs. / 4.54 kg.	Yaw: (360°) Pitch: (+/-6°) Roll: (+/-6°)	+ CEILING
MAG		**Magnet Assisted Mount for Projectors up to 10lbs** + Magnets Maintain Position + Leveling Barrels on Each Leg + OSHPD Certified + Easy Install	Up to 10 lbs. / 4.54 kg.	Rotation: (360°) Tilt: (+6° to -6°) Roll: (+6° to -6°)	+ CEILING
PBC-UMS (BLACK)		**Universal Fine-Tune Projector Mount** + Mates with Standard 1.5" NPT + Cable Routing Inside Pipe + Security Hardware Included + Ceiling Plate & Threaded Pipe Nipple Included	Up to 60 lbs. / 27.2 kg.	Rotation: (360°) Tilt: (+/- 20°) Roll: (+5°/-5°)	+ CEILING
PBC-UMW (WHITE)		**Universal Projector Mount w/ Integrated Pipe Coupler** + Mates with Standard 1.5" NPT + Cable Routing Inside Pipe + Security Hardware Included + Ceiling Plate & Thread Pipe Nipple Included	Up to 60 lbs. / 27.2 kg.	Rotation: (360°) Tilt: (+/- 20°) Roll: (+5°/-5°)	+ CEILING

P

PROJECTOR MOUNTS

PART #	PRODUCT	DESCRIPTION	WEIGHT RATING	ADJUSTMENTS	APPLICATION
PBM-UMS		**Adjustable Height Projector Mount** + Adj Height Channel Extends from 9.8" - 13.3" + Attaches Directly to Ceiling + Security Hardware Included + Low-Pro & Extended-Profile Allowance	Up to 25 lbs. / 11.4 kg.	Rotation: (360°) Tilt: (+/- 20°) Roll: (+/- 20°)	+ CEILING
PBM-UNI		**Heavy-Duty Universal Projector Mount** + Secures to single wood stud, 1.5"NPT Pipe, *OR* Directly to Ceiling + Heavy-Duty, Durable Construction + Reaches Wider Mounting Patterns	Up to 150 lbs. / 68.04 kg.	**Attached to NPT:** (360° Rotation) **Secured to Ceiling:** (15° Rotation) Tilt: (6°) Roll: (3°)	+ CEILING
PDS-PLUS (BLACK)		**Low-Profile Universal Projector Mount - Black** + OSHPD & DSA Approved + Heavy-Duty Steel Construction + Security Hardware Included + Mates to 1.5" NPT or Direct to Surface	Up to 75 lbs. / 34.02 kg.	Yaw: (+/-41°) Pitch: (+/-16.5°) Roll: (+/-7.5°)	+ CEILING
PDS-PLUS-W (WHITE)		**Low-Profile Universal Projector Mount - White** + OSHPD & DSA Approved + Heavy-Duty Steel Construction + Security Hardware Included + Mates to 1.5" NPT or Direct to Surface	Up to 75 lbs. / 34.02 kg.	Yaw: (+/-41°) Pitch: (+/-16.5°) Roll: (+/-7.5°)	+ CEILING
PDS-URPM		**Adjustable Height Projector Mount** + Adj Height Channel Extends from 9.8" - 13.3" + Traditional & Vaulted Ceiling Compat. + Security Hardware Included + Low-Pro & Extended-Profile Allowance	Up to 75 lbs. / 34.02 kg.	Rotation: (+/- 100°) Tilt: (+/- 100°)	+ CEILING

P

LCD VIDEO WALL PRESS & RELEASE MOUNTS

PART #	PRODUCT	DESCRIPTION	WEIGHT RATING	VESA	APPLICATION
LMV		**Press & Release Mount for Video Walls** + Fits Most 37" - 63" Flat Panels + OSHPD Cert., Spring-Loaded Locking Mechanism Provides Quick Release + Scissor Arms Allow for 12" Extension + Easy-Level w/ Top-Adjustable Brackets	Up to 160 lbs. / 73 kg.	200x200mm - 600x400mm	+ WALL
LMVF		**Fixed Flat Panel Video Wall Mount** + Open Design w/ Built-In Kickstand + Model-Specific Spacers + Easy-Service Access + Easy-Level w/ Top-Adjustable Brackets	Up to 160 lbs. / 73 kg.	200x200mm - 600x400mm	+ WALL
LMVP		**Portrait Press & Release Mount for Video Walls** + Fits Most 37" - 65+" Flat Panels + X, Y, Z Adjustments + Easy-Service Access w/ Scissor Design + Easy-Level w/ Top-Adjustable Brackets	Up to 160 lbs. / 73 kg.	200x200mm - 600x400mm	+ WALL
LMVS		**Slim Press & Release Mount for Video Walls (Meets ADA Compliance)** + Fits Most 37" - 80+" Flat Panels + Spring-Loaded Press & Release + Easy-Service Access w/ Scissor Design + Easy-Level w/ Top-Adjustable Brackets	Up to 100 lbs. / 45.4 kg.	200x200mm - 600x400mm	+ WALL
LMVSP		**Slim Portrait Press & Release Mount for Video Walls (OSHPD & ADA Approved)** + Fits Most 37" - 65+" Flat Panels + Spring-Loaded Portrait Press & Release + Easy-Service Access w/ Scissor Design + Easy-Level w/ Top-Adjustable Brackets	Up to 100 lbs. / 45.4 kg.	200x200mm - 600x400mm	+ WALL


LCD VIDEO WALL SYMMETRY SERIES 2X1 MOUNTING KITS

ARRAY	CEILING 2 x 1 Mount Kit	WALL 2 x 1 Mount Kit
PRODUCT IMAGE	 *Ceiling Support & Ceiling Pipe Sold Separately	
PART #	7170-1073	7170-1074
COLOR	Black	Black
WEIGHT RATING	353lbs. | 160kg	353lbs. | 160kg
WIDTH (in./mm)	74.8" | 1915mm	74.8" | 1915mm
HEIGHT (in./mm)	19.07" | 484.37mm	19.07" | 484.37mm
DEPTH (in./mm)	7.62" | 193.5mm	3.07" | 77.97mm
MIN HORIZONTAL HOLE PATTERN	100mm	100mm
MAX HORIZONTAL HOLE PATTERN	1850mm	1850mm

*Ceiling Support & Ceiling Pipe Sold Separately



LCD VIDEO WALL SYMMETRY SERIES 3X1 MOUNTING KITS

ARRAY	CEILING 3 x 1 Mount Kit	WALL 3 x 1 Mount Kit
PRODUCT IMAGE	 *Ceiling Support & Ceiling Pipe Sold Separately	
PART #	7170-1075	7170-1076
COLOR	Black	Black
WEIGHT RATING	525lbs. | 238kg	525lbs. | 238kg
WIDTH (in./mm)	108.27" | 2750mm	108.27" | 2750mm
HEIGHT (in./mm)	19.07" | 484.37mm	19.07" | 484.37mm
DEPTH (in./mm)	7.62" | 193.5mm	3.07" | 77.97mm
MIN HORIZONTAL HOLE PATTERN	100mm	100mm
MAX HORIZONTAL HOLE PATTERN	3250mm	3250mm

*Ceiling Support & Ceiling Pipe Sold Separately



LCD VIDEO WALL SYMMETRY SERIES

PART #	PRODUCT	DESCRIPTION	WEIGHT RATING	VESA	APPLICATION
SYM-DB-FTS		**Short Symmetry Series Display Brackets w/ Fine Tune Adjustment** + Precise Display Bezel Alignment + Easy Install w/ Minimal Tools + Includes Set of Two Fixed Tilt Adapter Brackets w/ Fixed 8° of Tilt	Up to 160 lbs. / 72 kg.	100 x 200mm - Unlimited	+ WALL + CEILING + STAND
SYM-DB-FT		**Display Brackets w/ Fine Tune Adjustments** + Set of Two Brackets Included + Precise Display Bezel Alignment + Quick & Easy Install + 10° of Continual Downward Tilt	Up to 160 lbs. / 72 kg.	100 x 200mm - Unlimited	+ WALL + CEILING + STAND
SYM-DB-TA		**Fixed Tilt Adapter Brackets** + Set of Two Brackets Included + Brackets are Fixed at 8° of Tilt + Fits SYM-DB-FT Brackets for Combined 18° of Tilt + Easy Install w/ Minimal Tools	Up to 160 lbs. / 72 kg.	200 x 200mm - Unlimited	+ WALL + CEILING + STAND
SYM-IB-11B		**Symmetry Interface Bar - 11.4”** + Movable L-Brackets + Lightweight Aluminum Design + Rapid Install & Adjustment Design + Modular Display Mounting Made Easy	Up to 160 lbs. / 72 kg.	N/A	+ WALL + CEILING + STAND
SYM-IB-28B		**Symmetry Interface Bar - 28.1”** + Movable L-Brackets + Lightweight Aluminum Design + Rapid Install & Adjustment Design + Modular Display Mounting Made Easy	Up to 160 lbs. / 72 kg.	N/A	+ WALL + CEILING + STAND
SYM-IB-36B		**Symmetry Interface Bar - 36”** + Movable L-Brackets + Lightweight Aluminum Design + Rapid Install & Adjustment Design + Modular Display Mounting Made Easy	Up to 160 lbs. / 72 kg.	N/A	+ WALL + CEILING + STAND
SYM-IB-75B		**Symmetry Interface Bar - 75”** + Movable L-Brackets + Lightweight Aluminum Design + Rapid Install & Adjustment Design + Modular Display Mounting Made Easy	Up to 160 lbs. / 72 kg.	N/A	+ WALL + CEILING + STAND

LCD VIDEO WALL SYMMETRY SERIES

PART #	PRODUCT	DESCRIPTION	WEIGHT RATING	APPLICATION
SYM-IB-108B		**Symmetry Interface Bar - 108.9”** + Movable L-Brackets + Lightweight Aluminum Design + Rapid Install & Adjustment Design + Modular Display Mounting Made Easy	Up to 160 lbs. / 72 kg.	+ WALL + CEILING + STAND
SYM-IB-130B		**Symmetry Interface Bar - 130.5”** + Movable L-Brackets + Lightweight Aluminum Design + Rapid Install & Adjustment Design + Modular Display Mounting Made Easy	Up to 160 lbs. / 72 kg.	+ WALL + CEILING + STAND
SYM-UR-80B		**Symmetry Upright Mount - 80”** + Vertical Support Bar + Lightweight Aluminum Design + Rapid Install & Adjustment Design + Modular Display Mounting Made Easy	Up to 200 lbs. / 90.7 kg.	+ WALL + CEILING + STAND
SYM-UR-130B		**Symmetry Upright Mount - 130”** + Vertical Support Bar + Lightweight Aluminum Design + Rapid Install & Adjustment Design + Modular Display Mounting Made Easy	Up to 200 lbs. / 90.7 kg.	+ WALL + CEILING + STAND
SYM-UR-106B		**Symmetry Upright Mount - 106”** + Vertical Support Bar + Lightweight Aluminum Design + Rapid Install & Adjustment Design + Modular Display Mounting Made Easy	Up to 200 lbs. / 90.7 kg.	+ WALL
SYM-UR-CS-46		**Symmetry Floor Stand Cross Support** + For 46” Array + Lightweight Design + Rapid Install & Adjustment Design + Modular Display Mounting Made Easy	N/A	+ STAND
SYM-UR-FSB		**Symmetry Free Standing Base** + Lightweight Design + Rapid Install & Adjustment Design + Modular Display Mounting Made Easy	Up to 446 lbs. / 202 kg.	+ STAND + CART

LCD VIDEO WALL SYMMETRY SERIES




PART #	PRODUCT	DESCRIPTION	WEIGHT RATING	APPLICATION
SYM-UR-CA		**Symmetry Upright Coupling Assembly** + Easy Install w/ Minimal Tools + Lightweight Design + Rapid Install & Adjustment Design + Modular Display Mounting Made Easy	N/A	+ WALL + CEILING + STAND
SYM-UR-CM		**Symmetry Ceiling Mount Assembly** + Easy Install w/ Minimal Tools + Lightweight Design + Rapid Install & Adjustment Design + Modular Display Mounting Made Easy	N/A	+ CEILING
SYM-UR-FFA		**Symmetry Floor Stand Cross Support** + For 55" Array + Easy Install w/ Minimal Tools + Lightweight Design + Rapid Install & Adjustment Design + Modular Display Mounting Made Easy	N/A	+ WALL + STAND
SYM-UR-WA		**Symmetry Upright Wall Anchor** + Easy Install w/ Minimal Tools + Lightweight Design + Rapid Install & Adjustment Design + Ability to Adjust to Brace + Modular Display Mounting Made Easy	N/A	+ WALL
SYM-IB-EXT		**Symmetry Interface Bar Extension** + Join Two Symmetry Interface Bars + Easy Install w/ Minimal Tools + Lightweight Design + Rapid Install & Adjustment Design + Modular Display Mounting Made Easy	N/A	+ WALL + CEILING + STAND
SYM-IB-SA		**Interface Bar Stand Adapter** + Compatible with Premier Mounts Dual-Pole Carts & Stands + Easy Install to Attach to Interface Bar	Up to 200 lbs. / 90.72 kg.	+ WALL + CEILING + STAND

LCD VIDEO WALL SYMMETRY SERIES

PART #	PRODUCT	DESCRIPTION	WEIGHT RATING	APPLICATION
SYM-PA		**Short Symmetry Series Display Brackets w/ Fine Tune Adjustment** + Mate to 1.5" NPT Pipe + Easy Install to Attach to Interface Bar + Perfect for ceiling suspended video walls or menuboards!	Up to 400 lbs. / 181.44 kg.	+ WALL + CEILING + STAND
SYM-PAC		**Symmetry Ceiling Pipe Adapter Cover** + Easy Install Cover Mounts to the Back of the SYM-PA & Makes for a Cleaner Appearance + Perfect for ceiling suspended video walls or menuboards!	N/A	+ WALL + CEILING + STAND



CONVERGENT DIRECTVIEW LED

PART #	PRODUCT	DESCRIPTION	COMPATIBILITY	APPLICATION
FBWM-SAM-IF		**Samsung IF-H LED Cabinet Flat Bracket Wall Mount** + Modular System Scalability From 2×2 to Unlimited Width or Height + Light, Easy Install & Transport Design + X-Y-Z Alignment & Easy Bolt Access	**Samsung** IFJ LED Video Wall	+ WALL + CEILING + STAND
FBWM-SAM-IFJ		**Samsung IFJ Convergent Mount** + Modular System Scalability From 2×2 to Unlimited Width or Height + Light, Easy Install & Transport Design + X-Y-Z Plane Alignment + Easy Mounting Bolt Access	**Samsung** IF012J & IFO12J-E	+ WALL + CEILING + STAND
FBWM-SAM-IER		**Mounting System for Samsung IER & IFR LED Cabinets** + Modular System Scalability From 2×2 to Unlimited Width or Height + Light, Easy Install & Transport Design + X-Y-Z Alignment & Easy Bolt Access	**Samsung** IE015R, IE020R, IE025R, IE040R, IF015R, IF020R-E, IF025R-E, IFO40R-E	+ WALL + CEILING + STAND
FBWM-LG-LSA		**LG LSA DvLED Mounting System** + Modular System Scalability From 2×2 to Unlimited Width or Height + Light, Easy Install & Transport Design + X-Y-Z Plane Alignment + Easy Mounting Bolt Access	**LG** LSAA012 LSAA009 LSAA015 LSAB009 LSAB012	+ WALL + CEILING + STAND
FBWM-EZ-PM		**EZ Pixel Master Covergent Mount** + Modular System Scalability From 2×2 to Unlimited Width or Height + Light, Easy Install & Transport Design + X-Y-Z Plane Alignment	**EZ Visual LED** Elite 0.9mm Elite 1.2mm Elite 1.5mm Elite 1.8mm Elite 2.5mm	+ WALL + CEILING + STAND

POINT-OF-SALE EQUINOX MOUNTS

PART #	PRODUCT	DESCRIPTION	COMPATIBILITY	APPLICATION
7160-1409		**Protective Payment Case for Equinox LUXE™ 6200m** + 18" Long Handheld Pole + Lightweight, Rugged Aluminum Powder-Coated for In or Outdoor + Foam Handle Grip for Ease-of-Use	Equinox Luxe 6200m Wired, Stand and Mobile Models w/o Printer.	+ Point of Sale
7160-1735		**Universal Drive-Thru Handle w/ AMPs Hole Pattern** + 18" Long Handheld Pole + Lightweight, Rugged Aluminum Powder-Coated for In or Outdoor + Rubber Handle Grip for Ease-of-Use	Universal - Also Bolts to our 7160-1409.	+ Point of Sale


POINT-OF-SALE iPAD MOUNTS

PART #	PRODUCT	DESCRIPTION	COMPATIBILITY	SPECS	APPLICATION
7160-1617		**Secure Tablet Kiosk for iPad 10.2** + Easy-Open Access w/ Secure Key Lock & Padlock Bar + Prevents Damage & Tampering + Room Inside for Cables & Peripherals + Fixed 30° Angle for Optimal Viewing	Apple iPad 10.2, 7th-9th Generation.	**Weight:** 15.8 lbs / 7.17 kg **H:** 7 in / 17.78 cm **W:** 15 in / 38.1 cm **D:** 11 in / 27.94 cm	+ Point of Sale
7160-1881		**Secure iPad 10.9 Enclosure** + Easy-Open Access w/ Secure Key Lock & Padlock Bar + Prevents Damage & Tampering + Room Inside for Cables & Peripherals + Fixed 30° Angle for Optimal Viewing	Apple iPad 10.9, 10th Generation.	**Weight:** 15 lbs / 6.8 kg **H:** 11 in / 27.94 cm **W:** 15 in / 38.1 cm **D:** 9.42 in / 23.93 cm	+ Point of Sale

POINT-OF-SALE TABLE TOP MOUNTS

PART #	PRODUCT	DESCRIPTION	VESA	SPECS	APPLICATION
PPS-PTB		**Universal Point-of-Sale Tabletop Terminal Mount Base** + Easy-Open Access w/ Secure Key Lock & Padlock Bar + Prevents Damage & Tampering + Fixed 30° Angle for Optimal Viewing	75 x 75mm & 100 x 100mm	***PPS-PTB & PPS-PTM*** **Weight:** 8.3 lbs. / 3.76kg **H:** 14.55" / 36.9 cm **W:** 9.49" / 24.1 cm **D:** 9.49" / 24.1 cm	+ Point-of-Sale + Retail + QSR + Venue + Office + MORE
PPS-PTM		**Secure iPad 10.9 Enclosure** + Easy-Open Access w/ Secure Key Lock & Padlock Bar + Prevents Damage & Tampering + Room Inside for Cables & Peripherals + Fixed 30° Angle for Optimal Viewing	75 x 75mm & 100 x 100mm	***PPS-PTM*** **Weight:** 2.8 lbs. / 1.27 kg **H:** 13.9" / 35.3 cm **W:** 4.54" / 11.5 cm **D:** 5.84" / 14.83 cm	+ Point-of-Sale + Retail + QSR + Venue + Office + MORE

IN-WALL MOUNTING KITS	
PART #	DESCRIPTION
AM50-INW	AM50-B w/ INW-AM200 (White)
AM50-INWB	AM50-B w/ INW-AM200 (Black)
AM175-INW	AM175 w/ INW-AM325
AM300-INW	AM300-B w/ INW-AM325




ACCESSORIES STORAGE

PART #	PRODUCT	DESCRIPTION	WEIGHT RATING	APPLICATION
7170-1009-00		**Universal Media Player Bracket** + Landscape or Portrait Orientation + Cable Routing to Mitigate Tampering + Allows for Quick Service to Devices	Up to 25 lbs. / 11.3 kg.	+ WALL
7170-1009-01		**Universal Media Player Enclosure** + Landscape or Portrait Orientation + Cover Included to Hide Devices + Integrated Cable Management + Allows for Quick Service to Devices	Up to 25 lbs. / 11.3 kg.	+ WALL
GB-INWAVP		**In-Wall Cable & Gear Power Box for Drywall Installation - White** + Installs in Drywall w/ No Dedicated Pre-Construction Stud Placement + Mounts Vertically or Horizontally + Includes UL-Approved Junction Box	Up to 50 lbs. / 22 kg.	+ WALL
GB-INWAVPB		**In-Wall Cable & Gear Power Box for Drywall Installation - Black** + Installs in Drywall w/ No Dedicated Pre-Construction Stud Placement + Mounts Vertically or Horizontally + Includes UL-Approved Junction Box	Up to 50 lbs. / 22 kg.	+ WALL
GB-INWAVPL		**Large In-Wall Box AV Equipment Storage** + Easy Installation & Placement + Ample Space & Electrical Box w/ 2 Power Plugs + Built-In Zip Down Anchor Points	Up to 20 lbs. / 9.06 kg.	+ WALL
INW-AM95		**In-Wall Box for the AM95** + Recess Mount for AM95 + Knockouts & Electrical Box w/ 2 Power Plugs + 2 Removable Panels on Front for Easy Access w/ Slotted Rack for Media	Up to 15 lbs. / 72.6 kg.	+ WALL
INW-AM100		**Wall-Mounted Storage Box for AM100** + Recess Mount for AM100 + Fits Snug within Standard 16" Studs + Knockouts & Electrical Box w/ 2 Plugs + Nesting for Cables & Power Sources + Cable Routing Along Cutouts	Up to 100 lbs. / 45.5 kg.	+ WALL

ACCESSORIES STORAGE

PART #	PRODUCT	DESCRIPTION	APPLICATION
INW-AM200		**In-Wall Mounting Box - White** + Recess Mount for AM50-B + Fits Snug within Standard 16" Studs + Integrated PEM-Nut Hardware + Includes Wood Shims for Gaps + Cable Routing Along Frame	+ WALL
INW-AM200B		**In-Wall Mounting Box - Black** + Recess Mount for AM50-B + Fits Snug within Standard 16" Studs + Integrated PEM-Nut Hardware + Includes Wood Shims for Gaps + Cable Routing Along Frame	+ WALL
INW-AM325		**In-Wall Box for Swingout Mounts** + Easy to Install & Secure + Security System Included + Perfect Solution for Office and Collaborative Spaces, Hospitality or Anywhere Space Saving and Cable Organization is needed!	+ WALL

ACCESSORIES WALL

PART #	PRODUCT	DESCRIPTION	WEIGHT RATING	APPLICATION
7170-1004-01		**Wall-Mounted Shelf – Small** + 14" x 11.35" + Mounts to the Wall with 4 Bolts + Extra Slots for Additional Accessories + TAA-Compliant + Great for Any Collaborative Space	Up to 25 lbs. / 11.3 kg.	+ WALL
7170-1004-11		**Wall-Mounted Shelf – Large** + 19.75" x 16.9" + Mounts to the Wall with 4 Bolts + Extra Slots for Additional Accessories + TAA-Compliant + Great for Any Collaborative Space	Up to 25 lbs. / 11.3 kg.	+ WALL
7170-1009-00		**Universal Media Player Bracket** + Landscape or Portrait Orientation + Cable Routing to Mitigate Tampering + Allows for Quick Service to Devices	Up to 25 lbs. / 11.3 kg.	+ WALL
7170-1009-01		**Universal Media Player Enclosure** + Landscape or Portrait Orientation + Cover Included to Hide Devices + Integrated Cable Management + Allows for Quick Service to Devices	Up to 25 lbs. / 11.3 kg.	+ WALL
UFP-XXL		**Extra-Wide Horizontal Extension Bracket up to 1600mm VESA** + 600, 700, 800mm VESA Mounts + Attaches to Existing Mounting Arms + Horizontal-Only Design + Extends 900 - 1600 mm in 100 mm Increments	Rated up to 300 lbs. (Subject to Mount Limitations)	+ WALL
7160-1968		**LMV-U Unistrut Adapter Brackets** + Adds 160 x 108mm pattern + Works w/ Most 1-5/8" Channel Strut + .61" Depth **COMPATIBLE WITH:** LMV, LMVP, LMVF, LMVS, LMVSP	Up to 160 lbs. / 73 kg.	+ WALL
UFP-1065		**Adapter Wings (SET OF 4)** + Adds 160 x 108mm pattern **COMPATIBLE WITH:** AM175, AM-300B, ECM SERIES, CTM SERIES, RFM, RTM SERIES, PRO SERIES	N/A	+ WALL

ACCESSORIES WALL

PART #	PRODUCT	DESCRIPTION	WEIGHT RATING	APPLICATION
UFP-600		**Extension Adapters** + Increase 400mm to 600mm pattern + Compatible w/ Any 400mm Brackets + Quick & Easy Install	N/A	+ WALL

ACCESSORIES CEILING MOUNTS

PART #	PRODUCT	DESCRIPTION	WEIGHT RATING	APPLICATION
7170-1009-00		**Universal Media Player Bracket** + Landscape or Portrait Orientation + Cable Routing to Mitigate Tampering + Allows for Quick Service to Devices	Up to 25 lbs. / 11.3 kg.	+ CEILING
7170-1009-01		**Universal Media Player Enclosure** + Landscape or Portrait Orientation + Cover Included to Hide Devices + Integrated Cable Management + Allows for Quick Service to Devices	Up to 25 lbs. / 11.3 kg.	+ CEILING
AST-2446/ AST-1321		**Adjustable Display Suspension Adapter for Ceiling Mounts** **AST-1321:** 13" - 21" (60.96-116.84cm) **AST-2446:** 24" - 46" (121.92 - 182cm) + Connects to Any Flat Ceiling Surface + Adjusts 1" Increments on 1.5" NPT Pipe	**AST-2446:** Up to 500 lbs. / 226.8 kg. **AST-1321:** Up to 160 lbs. / 73 kg.	+ CEILING
AST-2446-2		**Suspension Adapter with Adjustable Height Between 24"-46"** + Connects to Any Flat Ceiling Surface + Connects to 2" NPT Couplers + Adjusts in 1" Increments + Durable Powder Coat Finish	Up to 750 lbs. / 340.2 kg.	+ CEILING
CCM		**Coupler with Cable Management** + Connects to 1.5" NPT Pipe + Locking Set Screw Included for Safety + Durable Lightweight Design	N/A	+ CEILING

ACCESSORIES CEILING MOUNTS

PART #	PRODUCT	DESCRIPTION	WEIGHT RATING	APPLICATION
GB-AVSTOR3		**Plenum Rated Gearbox™ for Storage & Cable Management** + 2' x 2', Fits Full Ceiling Tile Space + Lockable Hinged Lid + Ample Ventilation + Includes Quick-Lock Cable System + Multiple Power/Signal Knockouts	Up to 50 lbs. / 22.7 kg.	+ CEILING
GB-AVSTOR4		**Plenum Rated Gearbox™ for Storage & Cable Management** + 12" x 24", Fits Half Ceiling Tile Space + Lockable Hinged Lid + Ample Ventilation + Includes Quick-Lock Cable System + Multiple Power/Signal Knockouts	Up to 50 lbs. / 22.7 kg.	+ CEILING
GB-AVSTOR5		**Plenum Rated Gearbox™ for Storage, Cable Management with Built-In Power Source** + Fits Standard 2' x 2' Suspended Ceiling Tile Space + 1.5" NPT Integrated Coupler + 6" of Lat. Shift w/ Keyed Panel Door	Up to 50 lbs. / 22.7 kg.	+ CEILING
CLS		**Suspension Adapter w/ Pipe Thread** + 2" Long, 1.5" Diameter + 1.5" NPT Pipe Thread + Connects 2 Pieces of Equipment with Pipe Couplings	N/A	+ CEILING
CLSW		**Suspension adapter with Pipe Thread - White** + 2" Long, 1.5" Diameter + 1.5" NPT Pipe Thread + Connects 2 Pieces of Equipment with Pipe Couplings	N/A	+ CEILING
PCC-1-1-2		**Cheeseborough Pipe Coupling - 1.5"** + Strong Mount Attachment to Elevated Tube-Truss Systems + Mates to Most Premier Suspension Adapters Using 1.5" National Tapered Pipe.	Up to 160 lbs. / 73 kg.	+ CEILING
PCC-2		**Cheeseborough Pipe Coupling - 2"** + Strong Mount Attachment to Elevated Tube-Truss Systems + Mates to Most Premier Suspension Adapters Using 2" National Tapered Pipe.	Up to 350 lbs. / 159 kg.	+ CEILING

ACCESSORIES CEILING MOUNTS

PART #	PRODUCT	DESCRIPTION	WEIGHT RATING	APPLICATION
PP-5		**6”x6” Adapter Plate for Use with Suspension Height Adapters** + Locking Screw Included for Safety + Mates with 1.5” NPT + Can Use w/ Height-Adj. 1.5” NPT Poles	Up to 500 lbs. / 226.8 kg.	+ CEILING
PP-5A		**6”x6” Adapter Plate for Use with Suspension Height Adapters** + Locking Screw Included for Safety + Mates with 1.5” NPT + Opening for Safe Cable Routing + Can Use w/ Height-Adj. 1.5” NPT Poles	Up to 500 lbs. / 226.8 kg.	+ CEILING
PP-6		**6”x6” Adapter Plate with 2” Coupler** + Mates with 2” NPT + Can Use w/ Height-Adj. 2” NPT Poles	Up to 750 lbs. / 340.2 kg.	+ CEILING
PP-6A		**6”x6” Adapter Plate for Tapered Pipe** + Locking Screw Included for Safety + 360° Swiveling Coupler + Mates with 2” NPT + Opening for Safe Cable Routing + Can Use w/ Height-Adj. 2” NPT Poles	Up to 750 lbs. / 340.2 kg.	+ CEILING
PP-FCTA-QL		**False Ceiling Tile Adapter - Half Tile** + Wire, Quick Locks, Escutcheon Ring Incl. + Plate Sits Hidden Above Ceiling Tile + Electrical & Cable Knockouts + 9” Lateral Shift for Precise Placement + Wingnuts for Rapid Adjustment	Up to 50 lbs. / 22.7 kg.	+ CEILING

ACCESSORIES CEILING MOUNTS

PART #	PRODUCT	DESCRIPTION	WEIGHT RATING	APPLICATION
PP-ITC1016C		**Adjustable I-Beam Clamp** + Fits I-Beams within 10" - 16" + Ideal: Steel I-Beam or Truss Structures + Only Available w/ Coupler Attachment + Mates with 1.5" NPT	Up to 195 lbs. / 88.5 kg.	+ CEILING
PP-TL		**Ceiling Adapter for Vaulted Ceiling Installations** + Cable Port for Organized Routing + Adjusts up to 90° (+/- 45°) + Great for Cathedral or Vaulted Ceilings + Mates with 1.5" NPT	Up to 150 lbs. / 68 kg.	+ CEILING
PP-UA		**Unistrut Ceiling Mount Attachment** + Mounts Directly to 1 5/8" Unistrut + Great for Flat Panels or Projectors + Slotted for Safely Routing Signal Cable + Mates with 1.5" NPT + Can Use w/ Height-Adj. 1.5" NPT Pole	Up to 400 lbs. / 181 kg.	+ CEILING
PP-VIB		**Vibration Reducing Ceiling Adapter** + Fits 4.5" Bolt Pattern + Rubber Isolators Absorb Vibrations + Adapts to 1.5" NPT Pipe	Up to 50 lbs. / 22.7 kg.	+ CEILING
PSD-S		**Single Display Adapter** + CTM Series Mount Compatible + 360° Swivel for Ceiling Applications + Allows for Routing Within the Pipe + Requires 1.5" NPT or Suspension Adapter	N/A	+ CEILING
PVCPLR		**Threaded National Tapered Pipe Coupler** + Compatible w/ Any 1.5" Threaded NPT + Joins 2 or More Lengths of Pipe + Extends 1.5" Adj-Height Suspension Adapter	N/A	+ CEILING
PWH		**Ceiling Display Mounting Pipe w/ Cable Routing Holes in Black or White** + Available in Even Lengths, 4" - 48" + Connects to Any 1.5" NPT Pipe Adapter + Durable Black Powder Coat Finish + Cable Routing Outlet	Up to 500 lbs. / 226.8 kg.	+ CEILING

ACCESSORIES CEILING MOUNTS

PART #	PRODUCT	DESCRIPTION	LENGTHS	WEIGHT RATING	APPLICATION
APP-0912		**Adjustable Height Suspension Adapter Pipe for Ceiling Mounted Displays** + Available in Black or White + Connects to Any 1.5" NPT Pipe Adapter + Cable Routing Hole w/ Access + Compatible w/ Flat & Projector Mounts	9" - 12" 22.86 - 30.48cm	Up to 500 lbs. / 226.8 kg.	+ CEILING
APP-1321		**Adjustable Height Suspension Adapter Pipe for Ceiling Mounted Displays** + Available in Black or White + Connects to Any 1.5" NPT Pipe Adapter + Cable Routing Hole w/ Access + Compatible w/ Flat & Projector Mounts	13" - 21" 33.02 - 53.34cm	Up to 500 lbs. / 226.8 kg.	+ CEILING
APP-1824		**Adjustable Height Suspension Adapter Pipe for Ceiling Mounted Displays** + Available in Black or White + Connects to Any 1.5" NPT Pipe Adapter + Cable Routing Hole w/ Access + Compatible w/ Flat & Projector Mounts	18" - 24" 45.72 - 60.96cm	Up to 500 lbs. / 226.8 kg.	+ CEILING
APP-2446		**Adjustable Height Suspension Adapter Pipe for Ceiling Mounted Displays** + Available in Black or White + Connects to Any 1.5" NPT Pipe Adapter + Cable Routing Hole w/ Access + Compatible w/ Flat & Projector Mounts	24" - 46" 60.96 - 116.84cm	Up to 500 lbs. / 226.8 kg.	+ CEILING
APP-3660		**Adjustable Height Suspension Adapter Pipe for Ceiling Mounted Displays** + Available in Black or White + Connects to Any 1.5" NPT Pipe Adapter + Cable Routing Hole w/ Access + Compatible w/ Flat & Projector Mounts	36" - 60" 91.44 - 152.4cm	Up to 500 lbs. / 226.8 kg.	+ CEILING
APP-4872		**Adjustable Height Suspension Adapter Pipe for Ceiling Mounted Displays** + Available in Black or White + Connects to Any 1.5" NPT Pipe Adapter + Cable Routing Hole w/ Access + Compatible w/ Flat & Projector Mounts	48" - 72" 121.92 - 182.88cm	Up to 500 lbs. / 226.8 kg.	+ CEILING


ACCESSORIES CARTS & STANDS

PART #	PRODUCT	DESCRIPTION	WEIGHT RATING	APPLICATION
PSD-CAM		**Video Conference Camera Shelf for Dual Pole Carts & Stands** + 1/4" - 20 Camera Screw + Easy to Install + Sturdy Grade Steel Construction + Durable Black Powder Coat Finish	Up to 20 lbs. / 9.1 kg.	+ CARTS + STANDS
PSD-SBH		**Brochure Holder for Single-Pole Carts & Stands** + 19.3" x 20.5" Shelf + Easy to Install + Compatible with Single & Dual Pole + Durable Black Metal	Up to 20 lbs. / 9.1 kg.	+ CARTS + STANDS
PSD-SHLFXL		**Floor Stand Shelf Accessory for Dual Pole Carts & Stands** + 3"H x 39.8"W x 17.5"D Shelf + Weight 27 lbs. | 12.25kg + Clamp Design for Easy Install + Mounts Above or Below Display, facing forward or backward	Up to 25 lbs. / 11.34 kg.	+ CARTS + STANDS
PSP-1619		**Floor Stand Shelf Accessory for Dual Pole Carts & Stands** + 16" x 19" Shelf + Attaches Premier Single Poles + Available in Black	Up to 20 lbs. / 9.1 kg.	+ CARTS + STANDS
7170-1004-00		**Pole Mounted Shelf for Dual Pole Carts & Stands** + 16" x 19" Shelf + Easy to Install + Compatible with & Dual Pole + Durable Black Metal	Up to 20 lbs. / 9.1 kg.	+ CARTS + STANDS
7170-1004-10		**Floor Stand Shelf for Dual Pole Carts & Stands** + 19.3" x 20.5" Shelf + Easy to Install + Compatible with Dual Pole + Durable Black Metal	Up to 20 lbs. / 9.1 kg.	+ CARTS + STANDS

HARDWARE	
PART #	DESCRIPTION
2470-UHP	Universal Grip Plate (Black Zinc)
HUNV-B	Universal Hardware Pack

HOW TO BUY

Scan the QR code below to contact your local sales pro today!



Questions or need more information? No problem, we're here to help.

Call us at, 1.800.368.9700
Email us at, ORDERS@PREMIERMOUNTS.COM

Visit **PREMIERMOUNTS.COM** to see our complete line of AV solutions & get social at, **@PREMIERMOUNTS**

500 W Central Ave, Suite A
Brea, CA 92821